

Java Applet execution instructions

Java 7u10 introduced the ability to manage when and how untrusted Java applications (i.e. an application that is digitally signed by an unknown publisher, or a certificate that has not been issued by a trusted Certificate Authority) will run if they are included on a web page. Setting the security level within the Java Control Panel will determine whether you are prompted before an untrusted java application is run (MEDIUM or HIGH) or Untrusted Java applications will be blocked so they cannot run (VERY HIGH).

The exception site list provides users with the option of allowing the same applets that would have been allowed by selecting the Medium option but on a site-by-site basis therefore minimizing the risk of using more permissive settings.

For that reason, to allow the execution of *"Sound of Lasers"*, please follow this procedure:

1. In the Java Control Panel, click on the Security tab. See these links to find the Java Control Panel depending on your OS:
[Windows](#)
[MAC OS](#)
2. Select Security level *"High"*
3. Click *"Edit Site List"*
4. Click *"Add"*
5. Add the following page:
<http://www.tfo.upm.es/educational-tools/sol/index.html>
6. Click *"Apply"*
7. Click *"Continue"* in the warning screen
8. The web page in step 5 must appear in the site list
9. Click OK to save changes made to the Java Control Panel

Additional information can be found in:

[Security](#) → http://java.com/en/download/help/jcp_security.xml